

From: [McAteer, Mike](#)
To: [Ritter, Troy \(CDC/ONDIEH/NCEH\)](#)
Cc: [Ruminski, Andrea K CIV USARMY CESP \(US\)](#); [Koger, Cory S CIV USARMY CESP \(US\)](#); [R6HarveyInfo](#); [Lyssy, Gregory](#)
Subject: FW: Beaumont Groundwater Pump Station
Date: Thursday, September 7, 2017 8:20:47 AM

Troy.... is this the well you safety officer called in about? (please scroll down for link to location/pictures from USACE)....

Mike McAteer
Federal On-Scene Coordinator
U.S. EPA
1445 Ross Ave
Suite 1200 (6SF-ER)
Dallas, Texas 75202
(214) 354 9371 (mobile)
(214) 665 7157 (office)
mcateer.mike@epa.gov

-----Original Message-----

From: Koger, Cory S CIV USARMY CESP (US) [<mailto:Cory.S.Koger@usace.army.mil>]
Sent: Thursday, September 07, 2017 7:31 AM
To: McAteer, Mike <mcateer.mike@epa.gov>
Cc: Ruminski, Andrea K CIV USARMY CESP (US) <Andrea.K.Ruminski@usace.army.mil>; Bell, Krystal L CIV USARMY CESP (US) <Krystal.L.Bell@usace.army.mil>; Powderly, John J CIV USARMY CESP (US) <John.J.Powderly@usace.army.mil>
Subject: FW: Beaumont Groundwater Pump Station

Hi Mike,

Not sure if this is on your radar, but we received these pictures (link below) from our field folks regarding the groundwater raw water pump in Beaumont. Was this intake impacted by oil/grease? Please advise, we've been asked to assist with getting the plant operational again.

Thanks,
Cory

-----Original Message-----

From: Bell, Krystal L CIV USARMY CESP (US)
Sent: Thursday, September 07, 2017 6:55 AM
To: Koger, Cory S CIV USARMY CESP (US) <Cory.S.Koger@usace.army.mil>; Powderly, John J CIV USARMY CESP (US) <John.J.Powderly@usace.army.mil>
Subject: Beaumont Groundwater Pump Station

Hi Cory/John,

Here are some photos of a groundwater pump station in Beaumont. Not sure if this would become a temp CPF issue but may be relevant as John and I get more intel on the ground here in Beaumont.

<http://beaumonttexas.gov/pictures-damaged-loeb-ground-water-pump-station/>

v/r

Krystel

Krystel Bell
USACE - Local Government Liaison
916-612-6966
Krystel.L.Bell@usace.army.mil